

Safety Data Sheet

OSHA 1910.1200

Revision Date: 06/29/2015

Print Date: 09/20/2016

Version: 3.0



CYROLITE® Polymer (All Grades)

Page 1 of 12

1. Product and Company Identification

1.1. Product identifier

Trade name : CYROLITE® Polymer (All Grades)

1.2. Recommended use of the chemical and restrictions on use

Recommended use(s): molding compound for injection molding and extrusion

Non-recommended use(s): None known.

1.3. Details of the supplier of the safety data sheet

Evonik CYRO LLC
299 Jefferson Road
Parsippany, NJ 07054-0677
USA

973-929-8000
973-929-8040 (fax)

1-973-929-8060 (Product Information Number)
1-800-424-9300 (24 Hour Emergency Number, CHEMTREC)

2. Hazards identification

2.1. Classification of the substance or mixture

This mixture is not classified according to US-GHS.

Classification according to Regulation 29CFR 1910.1200

This product is not considered to be a hazardous substance or mixture when classified in accordance with Regulation 29 CFR 1910.1200 (US GHS).

2.2. Label elements

This mixture is not classified according to US-GHS.

2.3. Other hazards

Dust explosions are generally to be expected with dust-forming organic products.

3. Composition/information on ingredients

3.1. Substances

3.2. Mixtures

Hazardous Ingredients

Component	CAS-No.	Content	Hazard class / Hazard category / Hazard statement
acrylic copolymer colourless	trade secret	>= 99.0 %	not classified

Safety Data Sheet

OSHA 1910.1200
Revision Date: 06/29/2015
Print Date: 09/20/2016
Version: 3.0



CYROLITE® Polymer (All Grades)

Page 2 of 12

or			
acrylic copolymer coloured	trade secret	>= 95.0 %	not classified

4. First-aid measures

4.1. Description of first aid measures

General advice	No special measures are required.
Inhalation	No specific treatment is necessary since this material is not likely to be hazardous by inhalation.
Skin contact	After contact with melted product cool quickly with cold water. See a physician.
Eye contact	If mechanical irritation occurs flush eyes thoroughly with a large amount of water, consult a physician if irritation persists.
Ingestion	Ingestion is not considered a potential route of exposure.

4.2. Most important symptoms and effects, both acute and delayed

No hazards known.

4.3. Indication of any immediate medical attention and special treatment needed

None known

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media	foam, dry chemical, carbon dioxide, water spray
Unsuitable extinguishing media	full water jet

5.2. Specific hazards arising from the chemical

In case of fire partly flammable, partly harmful vapours, which are irritating to the eyes and respiratory system, may be formed on thermal decomposition.

5.3. Special protective equipment and precautions for fire-fighters

- As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.
- Use water spray to cool containers exposed to fire.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- Avoid dust formation.
- Keep away sources of ignition. Assure sufficient ventilation. Danger of slipping after spill or leakage.

Safety Data Sheet

OSHA 1910.1200

Revision Date: 06/29/2015

Print Date: 09/20/2016

Version: 3.0



CYROLITE® Polymer (All Grades)

Page 3 of 12

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and materials for containment and cleaning up

Collect material and place in a disposal container. Obey relevant local, state, provincial and federal laws and regulations.

6.4. Reference to other sections

For personal protection see section 8.

7. Handling and storage

7.1. Precautions for safe handling

Safe handling advice	Avoid dust formation. During thermoplastic processing, vapours of the decomposition products referred to in section 10 are given off, which are technically unavoidable (Observe exposure threshold limit values). During thermal processing and/or machining local exhaust ventilation at processing machines is recommended.
Advice on protection against fire and explosion	Take precautionary measures against static discharges. In the event of fire, cool the endangered product with water.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	Store in a dry place.
---	-----------------------

8. Exposure controls/personal protection

8.1. Control parameters

see section 8.2.

Safety Data Sheet

OSHA 1910.1200

Revision Date: 06/29/2015

Print Date: 09/20/2016

Version: 3.0



CYROLITE® Polymer (All Grades)

Page 4 of 12

DUST, PARTICULATES)

Occupational Exposure Values

			Remark(s):
ACGIH TLV-TWA			not established
ACGIH TLV-STEL			not established
OSHA PEL-TWA	50 mppcf		(total dust)
OSHA PEL-TWA	15 mppcf		(respirable dust)
OSHA PEL-STEL			not established
OEL-TWA (Alberta)		10 mg/m3	(total dust)
OEL-TWA (Alberta)		3 mg/m3	(respirable dust)
OEL-STEL (Alberta)			not established
OEL-TWA (British Columbia)		3 mg/m3	(respirable dust)
OEL-TWA (British Columbia)		10 mg/m3	(total dust)
OEL-STEL (British Columbia)			not established
OEL-TWA (Ontario)		10 mg/m3	(inhalable)
OEL-TWA (Ontario)		3 mg/m3	(respirable)
OEL-TWA (Quebec)		10 mg/m3	(total dust)
OEL-STEL (Quebec)			not established
OEL-TWA (Mexico)		10 mg/m3	(total dust)
OEL-STEL (Mexico)			not established

8.2. Exposure controls

Engineering controls

If use operations generate dust, use adequate ventilation.

8.3. Personal protective equipment

Protective measures	A safety shower and eye wash fountain should be readily available. To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132) be conducted before using this product.
Hygiene measures	Follow the usual good standards of occupational hygiene. Clean skin thoroughly after work; apply skin cream.
Respiratory protection	A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 or applicable federal/provincial requirements must be followed whenever workplace conditions warrant respirator use. NIOSH's "Respirator Decision Logic" may be useful in determining the suitability of various types of respirators.
Hand protection	protective gloves against mechanical risks according to EN 388
General information	Gloves should be replaced regularly, especially after extended contact with the product. For each work-place a suitable glove type has to be selected.
Eye protection	Use safety glasses (ANSI Z87.1 or approved equivalent).

Safety Data Sheet

OSHA 1910.1200

Revision Date: 06/29/2015

Print Date: 09/20/2016

Version: 3.0



CYROLITE® Polymer (All Grades)

Page 5 of 12

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Colour	various, depending on coloration
Form	Pellets, granules
Odor	odourless
Odour Threshold	no data available
physical state	solid
Melting point/freezing point	Softening Temperature no data available
Boiling point/range	not applicable
Flash point	no data available
Evaporation rate	not applicable
Ignition temperature	440 °C 830 °F
Autoignition temperature	no data available
Decomposition temperature	This product is stable under normal storage conditions. No decomposition if stored and applied as directed. Depolymerization begins at 250 °C / 482 °F.
Impact sensitivity	no data available
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Flammability (solid, gas)	no data available
Vapour pressure	not applicable
Density	ca. 1.11 - 1.13 g/cm ³
Relative density	no data available

Safety Data Sheet

OSHA 1910.1200

Revision Date: 06/29/2015

Print Date: 09/20/2016

Version: 3.0



CYROLITE® Polymer (All Grades)

Page 6 of 12

||

|| Bulk density no data available

|| Relative vapour density (related to air) not applicable

|| Solubility in water insoluble

|| Solubility (quantitative) no data available

|| Solubility (qualitative) in e.g. esters, ketones and chlorinated hydrocarbons: readily soluble

|| pH not applicable

|| n-Octanol/water partition coefficient not applicable

|| Viscosity (dynamic) not applicable

|| Viscosity (kinematic) not applicable

9.2. Other information

|| Dust explosions are generally to be expected with dust-forming organic products.

10. Stability and reactivity

10.1. Reactivity

see section 10.2.

10.2. Chemical stability

|| This product is stable under normal storage conditions. No decomposition if stored and applied as directed. Depolymerization begins at 250 °C / 482 °F.

10.3. Possibility of hazardous reactions

|| Product will not undergo polymerization.

10.4. Conditions to avoid

|| High temperature.

10.5. Incompatible materials

|| No known incompatibility with other materials.

10.6. Hazardous decomposition products

|| In case of thermal decomposition, combustible vapours are formed, which are irritating to eyes and respiratory system, mainly consisting of: methyl methacrylate

Safety Data Sheet

OSHA 1910.1200

Revision Date: 06/29/2015

Print Date: 09/20/2016

Version: 3.0



CYROLITE® Polymer (All Grades)

Page 7 of 12

11. Toxicological information

11.1. Information on toxicological effects

toxicokinetics, metabolism and distribution

The substance is practically not bioavailable
(structure-activity-relationships)
(analogy)

Acute Oral Toxicity

no specific test data available
no evidence for hazardous properties
(structure-activity-relationships)
(analogy)

Caustic burning / irritation of skin

no specific test data available
no evidence for hazardous properties
(structure-activity-relationships)
(analogy)

Serious eye damage/eye irritation

no specific test data available
no evidence for hazardous properties
(structure-activity-relationships)
(analogy)

Respiratory/skin sensitization

no specific test data available
no evidence for hazardous properties
(structure-activity-relationships)
(analogy)

Aspiration hazard

no specific test data available
no evidence for hazardous properties
(structure-activity-relationships)
(analogy)

Mutagenicity assessment

no specific test data available
no evidence for hazardous properties
(structure-activity-relationships)
(analogy)

Carcinogenicity

no specific test data available
no evidence for hazardous properties
(structure-activity-relationships)
(analogy)

Reprotoxicity / teratogenicity

no specific test data available
no evidence for hazardous properties
(structure-activity-relationships)
(analogy)

Safety Data Sheet

OSHA 1910.1200

Revision Date: 06/29/2015

Print Date: 09/20/2016

Version: 3.0



CYROLITE® Polymer (All Grades)

Page 8 of 12

CMR assessment

CMR: no
no specific test data available
(structure-activity-relationships)
(analogy)

Specific Target Organ Toxicity - Single exposure

no specific test data available
no evidence for hazardous properties
(structure-activity-relationships)
(analogy)

Specific Target Organ Toxicity - Repeated exposure

no specific test data available
no evidence for hazardous properties
(structure-activity-relationships)
(analogy)

General information

The product has not been tested toxicologically.
When handled and used as directed the product will not cause hazardous effects to health according to studies on similar products and practical experience.
The fine particles contained in the product may cause mechanical irritations of the skin, eyes and mucous membranes.
Avoid skin and eye contact and inhalation of product dust/aerosols.

12. Ecological information

12.1. Toxicity

Hazardous to the aquatic environment

no specific test data available
no evidence for hazardous properties
(structure-activity-relationships)
(analogy)

12.2. Persistence and degradability

Persistence and degradability

no specific test data available
no evidence for hazardous properties
(structure-activity-relationships)
(analogy)

12.3. Bioaccumulative potential

Bioaccumulation

no specific test data available
no evidence for hazardous properties
(structure-activity-relationships)
(analogy)

12.4. Mobility in soil

Mobility

no specific test data available
no evidence for hazardous properties
(structure-activity-relationships)
(analogy)

Safety Data Sheet

OSHA 1910.1200

Revision Date: 06/29/2015

Print Date: 09/20/2016

Version: 3.0



CYROLITE® Polymer (All Grades)

Page 9 of 12

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment	PBT: no vPvB: no
-------------------------	---------------------

12.6. Other adverse effects

General Information	The product has not been tested ecotoxicologically. On the basis of the products consistency as well as its low water solubility a bioavailability is unlikely. Studies on products with similar composition confirm this assumption. Prevent substance from entering soil, natural bodies of water and sewer systems.
---------------------	--

13. Disposal considerations

13.1. Waste treatment methods

Product	Waste must be disposed of in accordance with federal, state and local regulations. Incineration is the preferred method. CYRO encourages the recycle, recovery and reuse of materials, where permitted, as an alternate to disposal as a waste.
Uncleaned packaging	Contaminated packaging should ideally be emptied; it can then be recycled after having been decontaminated. Packaging that cannot be cleaned should be disposed of professionally. Uncontaminated packaging may be taken for recycling.

14. Transport information

US DOT Hazard Classification

Not subject to the regulations on dangerous goods.

Canadian TDG Classification

Not subject to the regulations on dangerous goods.

Shipment by sea IMDG/GGVSee

Not dangerous according to transport regulations.

Air transport ICAO/IATA

Not dangerous according to transport regulations.

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

INVENTORY INFORMATION

REACH (EU)	preregistered, registered or exempted
TSCA (USA)	listed or exempted
DSL (CDN)	listed or exempted
AICS (AUS)	listed or exempted
ECL (KOR)	listed or exempted
PICCS (RP)	listed or exempted
IECSC (CN)	listed or exempted
HSNO (NZ)	listed or exempted
ECS (Taiwan)	listed or exempted

Safety Data Sheet

OSHA 1910.1200

Revision Date: 06/29/2015

Print Date: 09/20/2016

Version: 3.0



CYROLITE® Polymer (All Grades)

Page 10 of 12

US FEDERAL REGULATORY INFORMATION

Component / CASRN	TPQ [lbs]	CERCLA RQ [lbs] (40CFR302.4)	SARA 302 List of EHS	SARA 313 (40CFR372)	TSCA 12b
NONE					

COMPONENT CLASSIFICATION UNDER CLEAN AIR ACT SECTION 112

Component / CASRN	Weight %	HAP	EHAP
-------------------	----------	-----	------

NONE

Component / CASRN	Weight %	HAP	EHAP
-------------------	----------	-----	------

NONE

PRODUCT CLASSIFICATION UNDER SECTION 311/312 OF SARA (40CFR370)

NONE

US STATE REGULATORY INFORMATION

Component / CASRN	New Jersey RTK	Pennsylvania RTK	Massachusetts RTK	California Proposition 65 Cancer	California Proposition 65 Reproductive
-------------------	-------------------	---------------------	----------------------	---	---

acrylic polymer

NO

NO

NO

NO

NO

Component / CASRN	New Jersey RTK	Pennsylvania RTK	Massachusetts RTK	California Proposition 65 Cancer	California Proposition 65 Reproductive
-------------------	-------------------	---------------------	----------------------	---	---

acrylic copolymer /
trade secret

NO

NO

NO

NO

NO

titanium dioxide / For white colored
products only /
13463-67-7

YES

YES

YES

YES

NO

This product contains (a) chemical(s) known to the State of California to cause cancer and birth defects or other reproductive harm.

CANADIAN REGULATION

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulation and the MSDS contains all information required by the Controlled Products Regulations.

This is a non-controlled product.

WHMIS:NO

Component / CASRN	NPRI
-------------------	------

Safety Data Sheet

OSHA 1910.1200

Revision Date: 06/29/2015

Print Date: 09/20/2016

Version: 3.0



CYROLITE® Polymer (All Grades)

Page 11 of 12

NONE

Component / CASRN

NPRI

NONE

16. Other information

	Health	Flammability	Physical Hazard
HMIS-Ratings	0	1	0
NFPA-Ratings	0	1	0
	HMIS Hazard Ratings	NFPA Hazard Ratings	
	4 = severe	4 = extreme	
	3 = serious	3 = high	
	2 = moderate	2 = moderate	
	1 = slight	1 = slight	
	0 = minimal	0 = insignificant	
	N = no rating for powders	N = no rating for powders	
	* = chronic health hazard		

|| Other information none

References relevant manuals and publications
own examinations
own toxicological and ecotoxicological studies
toxicological and ecotoxicological studies of other manufacturers
SIAR
OECD-SIDS
RTK public files

Revision Date 06/29/2015

Places marked by || have been amended from the last version.

This information and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall Evonik assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. EVONIK EXPRESSLY DISCLAIMS ANY REPRESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, NON-INFRINGEMENT, MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF EVONIK IS AWARE OF SUCH PURPOSE) WITH RESPECT TO ANY INFORMATION AND RECOMMENDATIONS PROVIDED. Reference to any trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product, and does not imply that similar products could not be used. Evonik reserves the right to make any changes to the information and/or recommendations at any time, without prior or subsequent notice., ® is a registered trademark

Date of printing : 09/20/2016

Safety Data Sheet

OSHA 1910.1200

Revision Date: 06/29/2015

Print Date: 09/20/2016

Version: 3.0



CYROLITE® Polymer (All Grades)

Page 12 of 12

Legend

ACC	American Chemistry Council
ACGIH	American Conference of Governmental Industrial Hygienists
ACS	Advisory Committee on Sustainability
ADI	Acceptable Daily Intake
ASTM	American Society for Testing and Materials
ATP	Adaptation to Technical Progress
BCF	Bioconcentration factor
BOD	Biochemical oxygen demand
c.c.	closed cup
CAO	Cargo Aircraft Only
Carc	Carcinogen
CAS	Chemical Abstract Services
CDN	Canada
CEPA	Canadian Environmental Protection Act
CERCLA	Comprehensive Environmental Response – Compensation and Liability Act
CFR	Code of Federal Regulations
CMR	carcinogenic-mutagenic-toxic for reproduction
COD	Chemical oxygen demand
DIN	German Institute for Standardization
DMEL	Derived minimum effect level
DNEL	Derived no effect level
DOT	Department of Transportation
EC50	half maximal effective concentration
EPA	Environmental Protection Agency
ErC50	Reduction of Growth Rate
ERG	Emergency Response Guide Book
FDA	Food and Drug Administration
GHS	Globally Harmonized System of Classification and Labelling of Chemicals (GHS)
GLP	Good Laboratory Practice
GMO	Genetic Modified Organism
HCS	Hazard Communication Standard
HMIS	Hazardous Materials Identification System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	Intermediate Bulk Container
ICAO-TI	International Civil Aviation Organization- Technical Instructions
ICCA	International Council of Chemical Association
ID	Identification number
IMDG	International Maritime Dangerous Goods
IUPAC	International Union of Pure and Applied Chemistry
ISO	International Organization For Standardization
LC50	50 % Lethal Concentration
LD50	50 % Lethal Dose
L(E)C50	LC50 or EC50
LOAEL	Low est observed adverse effect level
LOEL	Low est observed effect level
MARPOL	International Convention for the Prevention of Pollution from Ships
NFPA	National Fire Protection Association
NOAEL	No observed adverse effect level
NOEC	no observed effect concentration
NOEL	no observed effect level
o. c.	open cup
OECD	Organisation for Economic Cooperation and Development
OEL	Occupational Exposure Limit
OSHA	Occupational Safety and Health Administration
PBT	Persistent, bioaccumulative, toxic
PEC	Predicted effect concentration
PNEC	Predicted no effect concentration
RQ	Reportable Quantity
SDS	Safety Data Sheet
STOT	Specific Target Organ Toxicity
UN	United Nations
vPvB	very persistent, very bioaccumulative
voc	volatile organic compounds
WHMIS	Workplace Hazardous Materials Information System
WHO	World Health Organization