

NSF/ANSI 169-CERTIFIED Quick Connects

Nordson MEDICAL's National Sanitation Foundation (NSF)-certified components are produced from materials that comply with standards for potable water and food-safe applications. We are pleased to now offer quick connects containing certified materials, such as NSF 51 Acetal, NSF 61 Buna-N, and NSF 61 EPDM, as well as options in Polypropylene and Polysulfone.

FEATURES & BENEFITS

- Legacy metal and advanced plastic thumb-latch couplings with hose-barb and threaded terminations
- Resistant to most mild chemicals
- Intuitive, easy-to-use design
- Audible click when coupled
- Durable panel-mount designs
- Available with internal shut-off valves or straight-through designs
- Interconnect with each other and with similar industry thumb-latch couplings

SPECIFICATIONS


- **Materials:**
 - NSF 51 Acetal (POM)
 - NSF 61 Buna-N
 - NSF 61 EPDM
 - Food-Grade Chrome/Brass
 - Food-Grade Polypropylene
 - Food-Grade Udel® Polysulfone
 - Stainless Steel
- **Operating Pressure:**
 - Vacuum to 60 psi - 250 psi (4.2 bar - 17.3 bar)
- **Temperature:**
 - -40°F - 180°F (-40°C - 82°C)
- **Flow Capacity:**
 - 1/8" - 1/2" (3.2 mm - 12.7 mm)
- **Tubing Sizes:**
 - 1/16" - 1/2" (1.6 mm - 12.7 mm)



NSF/ANSI 169-Certified

QUICK CONNECTS

20 SERIES QUICK CONNECT COUPLINGS




20AC-S3-02N3

LinkTech 20AC Series Panel Mt. Female
Non-Valved, 1/8" HB
NSF 51 Acetal



20ACV-PB2-02N3


LinkTech 20AC Series Straight Male
Valved, 1/8" HB
NSF 51 Acetal, NSF 61 Buna-N



20CBV-SB1-04N3


LinkTech 20CB Series Male Thread Female
Valved, 1/4" MNPT
Chrome Brass, NSF 61 Buna-N

40 SERIES QUICK CONNECT COUPLINGS



40ACV-PB2-06N3

LinkTech 40AC Series Straight Male
Valved, 3/8" HB
NSF 51 Acetal, NSF 61 Buna-N



40ACV-PB3-04N3

LinkTech 40AC Series Panel Mt. Male
Valved, 1/4" HB
NSF 51 Acetal, NSF 61 Buna-N




40ACV-PB4-04N3

LinkTech 40AC Series Elbow Male
Valved, 1/4" HB
NSF 51 Acetal, NSF 61 Buna-N



40ACV-SB2-04N3

LinkTech 40AC Series Straight Female
Valved, 1/4" HB
NSF 51 Acetal, NSF 61 Buna-N



40ACV-SB3-04N3

LinkTech 40AC Series Panel Mt. Female
Valved, 1/4" HB
NSF 51 Acetal, NSF 61 Buna-N



40ACV-SB17-04N3

LinkTech 40AC Series Inline Socket
Valved, 1/4" HB
NSF 51 Acetal, NSF 61 Buna-N




40CB-PB4-04N3

LinkTech 40CB Series Elbow Plug
Non-valved, 1/4" HB
Chrome Brass, NSF 61 Buna-N



40CBV-PB1-04N3

LinkTech 40CB Series Male Thread Male
Valved, 1/4" MNPT
Chrome Brass, NSF 61 Buna-N



40CBV-SB3-06N3

LinkTech 40CB Series Panel Mt. Socket
Valved, 3/8" HB
Chrome Brass, NSF 61 Buna-N




40CBV-SB9-06N3

LinkTech 40CB Series Inline Socket
Valved, 3/8" PTF
NSF 51 Acetal, NSF 61 Buna-N

NSF/ANSI 169-Certified

QUICK CONNECTS

50 SERIES QUICK CONNECT COUPLINGS



50ACV-PE2-06N3


LinkTech 50AC Series Inline Plug Valve
Valved, 3/8" HB
NSF 51 Acetal, NSF 61 EPDM



50ACV-SB2-06N3


LinkTech 50AC Series Straight Female
Valved, 3/8" HB
NSF 51 Acetal, NSF 61 Buna-N

60 SERIES QUICK CONNECT COUPLINGS




60PP-S2-06N3

LinkTech 60PP Series Inline Socket
Non-Valved, 3/8" HB
Polypropylene




60PPV-SE2-08N3

LinkTech 60PP Series Straight Female
Valved, 1/2" HB
Polypropylene, NSF 61 EPDM



60PPV-SE3-08N3

LinkTech 60PP Series Panel Mt. Female
Valved, 1/2" HB
Polypropylene, NSF 61 EPDM



60PSV-PE2-06N3

LinkTech 60PS Series Inline Plug
Valved, 3/8" HB
Polysulfone, NSF 61 EPDM



60PSV-SE2-06N3

LinkTech 60PS Series Straight Female
Valved, 3/8" HB
Polysulfone, NSF 61 EPDM

